

Work Order ID 158677

Wednesday, March 29, 2017 7:50:49 AM

158677

Ship monday

Page 1

Item ID: D412-705-017 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: N1 Gearbox Access Panel
 Start Date: 4/3/2017 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 4/7/2017 *mf* Req'd Qty: 4.00 ***4*** Customer:
 Reference: 4/3/2017

Approvals: Process Plan: *mf* Date: 17-3-29 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr								
D3255	Rev B								
IIN-D412-705	F								

100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D412-705-017								

110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									

17-03-29

DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 158677

Wednesday, March 29, 2017 7:50:49 AM

158677

Page 2

Item ID: D412-705-017

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: N1 Gearbox Access Panel

Start Date: 4/3/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 4/7/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.12				4	DAS 28 9-89	MAR 3 1 2017	
Quality Control									
130	Packaging	0.00							
130									
Packaging	Memo	0.00				4	DAS 28 9-89	MAR 3 1 2017	
Packaging	Identify and pack for shipping as per PPP D412-705-017 Location : FG027								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.40					DAS 21 9-89	MAR 3 1 2017	
Quality Control									
							DAS 21 9-89	MAR 3 1 2017	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Wednesday, March 29, 2017 7:50:49 AM

Page 1

Work Order ID: 158677

158677

Parent Item: D412-705-017

D412-705-017

Parent Item Name: N1 Gearbox Access Panel

Start Date: 4/3/2017

Required Date: 4/7/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:C Removed Manufacturing 06-08-02 JLM
IPP Rev:D ECN 1052 07-11-06 DD verified by: EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN3C3A		Purchased				110	Each	232.0000	30	120			
AN3C3A									**				
Bolt													

Location Loc Qty Loc Code

GA	63	
m134055	2	
m136182	61	
OVER002	100	
m136866	100	100
ST350	69	
m136740	69	20

D3255-041		Manufactured				110	Each	0.0000	1	4			
D3255-041									**				
Access Panel Assembly													

D3255-042		Manufactured				110	Each	4.0000	1	4			
D3255-042									**				
Access Panel Assembly													

Location Loc Qty Loc Code

ST489	4	
150208	2	
157898	2	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, March 29, 2017 7:50:49 AM

Page 2

Work Order ID: 158677

158677

Parent Item: D412-705-017

D412-705-017

Parent Item Name: N1 Gearbox Access Panel

Start Date: 4/3/2017

Required Date: 4/7/2017

Start Qty: 4.00

Required Qty: 4.00

MS20427M3-3

Purchased

No

110

Each

1,996.000

36

144

MS20427M3-3

Rivet

**

Location

Loc Qty

Loc Code

GA

483

m134738

483

ST311

1513

m136741

1513

110

Each

175.0000

18

72

**

MS21060-L3K

Purchased

No

MS21060-L3K

Nut Plate

Location

Loc Qty

Loc Code

GA

27

m135297

27

OVER007

75

m136579

25

m136835

50

ST300

73

m135948

48

m136182

25

110

Each

472.0000

30

120

**

MS9321-09

Purchased

No

MS9321-09

Washer

Location

Loc Qty

Loc Code

ST267

472

m135544

137

m136740

335

DAS
28
9-89

DAS
28
9-89

DAS
28
9-89

MAR 30 2017

MAR 30 2017

MAR 30 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

5.0 PARTS LIST

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Part Number	Description
X							D412-705-011	TWIN PAK E-Z ACCESS KIT
1	X						D412-705-013	INTAKE PLENUM ACCESS PANEL KIT
1		X					D412-705-015	DRIVESHAFT TUNNEL MODIFICATION KIT
1			X				D412-705-017	N1 GEARBOX ACCESS PANEL KIT
1				X			D412-705-019	C-BOX OIL COOLER LINE SUPPORT ACCESS KIT
1					X		D412-705-021	OIL PRESSURE TRANSMITTER ACCESS KIT
1						X	D412-705-023	OIL COOLER SUPPORT REMOVABLE LOWER PANEL KIT
	1						D3245-041	ACCESS PANEL ASSEMBLY, LH
	1						D3245-042	ACCESS PANEL ASSEMBLY, RH
	2						D3245-043	DOOR ASSEMBLY
	2						D3245-9	GASKET
	2						D3245-11	GASKET
	2						D3245-13	GASKET
			1				D3255-041	ACCESS PANEL ASSEMBLY, LH
			1				D3255-042	ACCESS PANEL ASSEMBLY, RH
		1					D3256-1	ACCESS PANEL
		1					D3256-3	GASKET
				1			D3259-041	ACCESS PANEL ASSEMBLY, LH
				1			D3259-042	ACCESS PANEL ASSEMBLY, RH
					1		D3307-041	ACCESS PANEL ASSEMBLY
						30	AN3-3A	BOLT
		22	30		6		AN3C3A	BOLT
		3					AN3C4A	BOLT
						30	AN980JD10	WASHER
16	44	36			12		MS20427M3-3	* RIVET
						4	MS21051-L3K	NUT PLATE
8	22	18			6		MS21060-L3K	NUT PLATE
						18	MS21069-L3K	NUT PLATE
		25	30		6		MS9321-09	WASHER

* Acceptable to substitute for MS20615M3-3 rivets. At installation, it is acceptable to use longer rivets if required.